



Traceable Excursion-Trac USB Datalogging ULT Freezer Thermometer

Temperature Range:	-90.00 to 105.00°C (-130.00 to 221.00°F)
Temperature Resolution:	0.01°
Temperature Accuracy:	±0.2°C
Cable Length:	10'
Cal Points:	-80, -40, 0, and 100°C
Dimensions:	2-3/4" x 4-1/4" x 3/4"
CE Marked:	Yes



Traceable® Certificates:

Multi-point calibration on an individually-numbered Traceable® Certificate which assures accuracy from our ISO/IEC 17025:2005 (1750.01) calibration laboratory accredited by A2LA. It indicates traceability of measurements to the SI units through NIST or other recognized national measurement institutes (NMI) that are signatories to the CIPM Mutual Recognition Agreement.

Datalogging Features:

Monitor readings overnight, on weekends, or for any time period with rolling data log. User-defined datalogging interval of one observation/minute to one observation/24 hours. Memory capacity maintains a year of recorded data when using 1 minute intervals and longer when using larger intervals.

USB Data Transferring:

New feature allows recorded data (CSV file) to be transferred from thermometer to PC or Mac using a USB flash drive (not included). No software is needed for computer interface. Each thermometer has a unique ID allowing multiple units to be used in the same location.

Hi/Lo Alarms and Time/Date Stamps:

Alarm tracking feature stores in memory each alarm event detailing when the alarm state occurred, as well as when the unit returned back to within range. Alarm state indicators include visual LEDs, audio alerts, and flashing LCD segments. Data for up to 10 different alarm events can be retrieved with the most current event viewable on the display.

Axelerist Financial

80 Business Park Dr., Ste. 209
Armonk, NY 10504
United States
(914) 253-8840
info@axelerist.com

Axelerist B.V.

Westplein 12 12-14
3016BM Rotterdam
The Netherlands
0031 (0)10 30 70 217
info@axelerist.com